

HASA ALKALINITY UP

Material Safety Data Sheet

Emergency 24 Hour Telephone: CHEMTREC 800.424.9300

Corporate Headquarters: Hasa Inc.

23119 Drayton Street
Saugus, California 91350
Telephone • 661.259.5848
Fax • 661.259.1538

,	SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
1.1	Produ	uct Identification:			
	1.1.1	Product Name:	HASA ALKALINITY UP		
	1.1.2	CAS # (Chemical Abstracts Service Registry Number):	144-55-8		
	1.1.3	EINECS (European Inventory of Existing Commercial Substances):	205-633-8		
	1.1.4	RTECS (Registry of Toxic Effects of Chemical Substances):	VZ0950000		
	1.1.5	Synonym:	Baking soda		
	1.1.6	Chemical Name:	Sodium Bicarbonate; Carbonic acid monosodium salt.		
	1.1.7	Chemical Formula:	NaHCO ₃		
	1.1.8	Chemical Family:	Inorganic sodium salt.		
1.2	Reco	mmended Uses:	Sodium bicarbonate can be added as a simple solution for raising the pH balance of water (increasing total alkalinity) where high levels of chlorine (2–5 ppm) are present as in swimming pools and aquariums.		
1.3	Com	pany Identification:	Hasa Inc. 23119 Drayton Street Saugus, California 91350		
1.4	Emer	gency Telephone Number:	CHEMTREC (24 Hour): 1-800-424-9300		
1.5	Non-l	Emergency Assistance:	661-259-5848 (8 AM – 5 PM PST / PDT)		

SECTION 2: EMERGENCY OVERVIEW and HAZARD IDENTIFICATION			
2.1 Emergency Overview. Product is non-com		Product is non-combustible.	
		Reacts with acids to release carbon dioxide gas and heat.	
Acute	e Hazard:		
2.2.1 Eye Contact: 2.2.2 Skin Contact:		Causes eye irritation. Causes redness and pain.	
		May cause skin irritation. Repeated or prolonged exposure may cause drying and cracking of the skin.	
2.2.3	Inhalation:	May cause respiratory tract irritation.	
2.2.4 Ingestion:		May cause irritation of the digestive tract.	
Chronic Hazard:		Prolonged or repeated skin contact may cause irritation.	
	Acute 2.2.1 2.2.2 2.2.3 2.2.4	Emergency Overview. Acute Hazard: 2.2.1 Eye Contact: 2.2.2 Skin Contact: 2.2.3 Inhalation: 2.2.4 Ingestion:	

SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS				
Ingredient	Synonym	CAS No.	Weight %	
Sodium Bicarbonate	Baking Soda	144-55-8	100%	

	SECTION 4: FIRST AID MEASURES			
4.1	IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
4.2	IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
4.3	IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
4.4	IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

	SECTION 5: FIRE FIGHTING MEASURES			
5.1	Flammability:	Nonflammable.		
5.2	Auto-Ignition Temperature:	Not applicable.		
5.3	Flash Point:	Not applicable.		
5.4	Flammable Limits:	Not applicable.		
5.5	Extinguishing Media:	Water, water fog, carbon dioxide, dry chemical.		
5.6	Products of Combustion:	None.		
5.7	Fire Hazards in Presence of Various Substances:	None.		
5.8	Sensitivity To Impact:	None.		
5.9	Sensitivity To Static Discharge:	None.		
5.10	Special Fire-fighting Procedures:	None.		

	SECTION 6: ACCIDENTAL RELEASE MEASURES			
6.1	Personal Precautions:	Refer to Section 8 "Exposure Controls / Personal Protection".		
6.2	Spill:	This product, if spilled, can be recovered and re-used if contamination does not present a problem. Vacuum or sweep up the material. If the spilled product is unusable due to contamination, consult state or federal environmental agencies for acceptable disposal procedures and locations. See Section 13 "Disposal Considerations".		
6.3	Notification Requirements:	Federal regulations do not require notification for spills of this product. State and local regulations may contain different requirements; consult local authorities.		

	SECTION 7: HANDLING AND STORAGE			
7.1	Handling:	Do not breathe dust. Do not get in eyes, on skin, or on clothing.		
7.2	Storage:	Protect from excessive heat and moisture. Store away from acids.		

	SE	CTION 8: EXPOS	URE CONTROLS / PERSONAL PROTECTION
8.1	8.1 Engineering Controls:		Where possible, provide general mechanical and/or local exhaust ventilation to prevent release of airborne dust into the work environment.
8.2	Perso	nal Protection:	
	8.2.1	Eyes:	Safety glasses with side shields.
	8.2.2 Respiratory: 8.2.3 Skin & Body:		Whenever dust in the worker's breathing zone cannot be controlled with ventilation or other engineering means, workers should wear respirators or dust masks approved by NIOSH/MSHA, or comparable certification organization to protect them against airborne dust.
			Dry product is generally non-irritating to intact skin. However, this product can be irritating where skin has been damaged and can create skin irritation after long exposures when moisture is present. Under such conditions, gloves and long-sleeved clothing are recommended to minimize skin contact.
	8.2.4	Hands:	Protective rubber gloves.
8.3	Expos	sure Limits:	
	8.3.1 Additional Guidelines:		Federal guidelines treat the ingredient(s) in this product as a nuisance dust, as no product-specific guidelines have been issued for exposure. As with all nuisance dusts, worker breathing zone concentrations should be measured by validated sampling and analytical methods.
	8.3.2	Particulates Not Otherwise Regulated:	OSHA (PEL / TWA): 15 mg/m³ (total dust) 5 mg/m³ (resp fraction) MSHA (PEL / TWA): 10 mg/m³ (total dust)

	SECTION 9: PHYSICA	L AND CHEMICAL PROPERTIES
9.1	Physical state and Appearance:	White crystalline solid or granules.
9.2	Odor:	Odorless
9.3	Odor Threshold:	Odorless
9.4	Taste:	Saline
9.5	Molecular Weight:	84 g/mole
9.6	Color:	Off White
9.7	pH (1% aqueous solution):	8.3
9.8	Boiling Point:	Not applicable.
9.9	Melting Point:	Decomposes without melting.
9.10	Critical Temperature:	No information available
9.11	Density (g/cm ³):	Solid.
9.12	Bulk Density (lb/ft ³):	68
9.13	Decomposition Temperature:	No information available
9.14	Vapor Pressure (mm Hg):	No information available
9.15	Volatility:	No information available
9.16	Water/Oil Distribution Coefficient:	No information available
9.17	Dissociation Constant:	No information available
9.18	Solubility in Water (@ 20 ℃):	9.6 g/100 g water

	SECTION 10: STABILITY AND REACTIVITY		
10.1	Stability:	Stable under normal use and storage conditions.	
10.2	Instability Temperature:	Decomposes at approx. 60 ℃	
10.3	Conditions of Instability:	Incompatible materials, moisture. Stable in dry air, but slowly decomposes in moist air. Dangerous reaction with mono ammonium phosphate or a sodium-potassium alloy.	
10.4	Incompatibility:	Reacts with acids to release carbon dioxide gas and heat.	
10.5	Corrosivity:	Not corrosive in presence of glass.	
10.6	Special Remarks on Reactivity:	None	
10.7	Special Remarks on Corrosivity:	None	
10.8	Polymerization:	Will not occur.	

	SECTION 11: TOXICOLOGICAL INFORMATION			
11.1	Route	s of Entry:	Eyes, nose, ingestion, inhalation.	
11.2	Acute Toxicity:			
	11.2.1	Eye:	Non-irritating (rabbit) J. Amer. Coll. Toxicol. 1987	
	11.2.2	Skin:	Non-irritating (rabbit) J. Amer. Coll. Toxicol. 1987	
	11.2.3	Dermal (LD ₅₀):	No data available for the product.	
	11.2.4	Oral (LD ₅₀):	20% slurry: 4,300 mg/kg (rat) 50 % slurry: 6,000 mg/kg (rat) (Gosselin, Smith & Hodge, Clinical Tox. of Comm. Products, 1984)	
		Inhalation (LC ₅₀):	No data available for the product.	
		Target Organs:	None	
11.3	11.3 Acute Effects from Overexposure:		This product, when dry, is generally non-irritating to intact skin. However, when moisture is present, it can be irritating to damaged skin and can create irritation after long exposures. This product is approved for use as a food ingredient and is Generally Recognized As Safe (GRAS). No significant acute toxicological effects expected.	
11.4		ic Effects from xposure:	Administration of large doses of sodium bicarbonate to patients with renal insufficiency can produce systemic alkalosis.	
11.5	Carcir	nogenic [Cancer Potential] Info	rmation:	
	11.5.1	Program 6 th Annual Report on Carcinogens):	Not Listed.	
	11.5.2	IARC (International Agency for Research on Cancer Monographs, V. 1-100):	Not Listed.	
		OSHA (Occupational Safety & Health Administration):	Not Listed.	
	11.5.4	ACGIH (American Conference of Governmental Industrial Hygienists):	Not Listed.	
	11.5.5	Proposition 65, California only:	See Section 15.2.1	

	SECTION 12: ECOLOGICAL INFORMATION			
12.1	Ecotoxicity:	Culex sp. Larvae or mosquito (48-hour LC ₅₀) = 2000 mg/L		
12.2	Chemical Fate:	No data available for the product.		
12.3	Bioaccumulation:	Bioaccumulation is not likely to occur since this material is highly soluble in water.		
12.4	Thermal Decomposition:	Decomposes (without melting) into Na ₂ CO ₃ , H ₂ O, and CO ₂ .		
12.5	Toxicity of the Products of Decomposition:	Not toxic.		

SECTION 13: DISPOSAL CONSIDERATIONS

When this product is discarded or disposed of, as purchased, it is neither a characteristic nor a listed hazardous waste according to US Federal RCRA regulations (40 CFR 261). As a non-hazardous waste the material may be disposed of in a landfill in accordance with government regulations; check local or state regulations for applicable requirements prior to disposal. Any processing, usage, alteration, chemical additions to, or contamination of, the product may alter the disposal requirements. Under Federal regulations, it is the generator's responsibility to determine if a waste is a hazardous waste.

	SECTION 14: TRANSPORT INFORMATION					
14.1	US D.O.T.	Not regulated.				
14.2	Canada TDG (Transportation of Dangerous Goods)	Not regulated.				
14.3	ICAO (International Civil Aviation Organization)	Not regulated.				
14.4	IMO (International Maritime Organization) IMDG (International Maritime Dangerous Goods) Code	Not regulated.				

SECTION 15: REGULATORY INFORMATION									
15.1	U.S. R	Regulations:		-COLA I O	<u> </u>	MATION			
10.1	15.1.1		,		Not regulated under the HAZCOM Standard (29 CFR 1910.1200)				
	15.1.2	Management)	DSHA PSM (Process Safety Management) EPA FIFRA (Federal Insecticide, ungicide and Rodenticide Act) Not recommendately the process of the pr			ot regulated under PSM Standard (29 CFR 910.119)			
	15.1.3	Fungicide and				regulated as a pesticide.			
	15.1.4	Environmental And Liability A		pensation		Q: Not applicable. (40 CFR 302.4)			
	15.1.5	Act)				d on the inventory.			
	15.1.6	and Recovery	RA (Resource Conservation Not regulated. (40 CFR 261) very Act)						
	15.1.7	EPA RMP (Ri	isk Management	: Plan)	Not regulated	ot regulated. (40 CFR 68.130)			
15.2	State	e of California Regulations:							
		This product has been evaluated by the manufacturer for compliance with California's Proposition 65. Several sodium bicarbonate samples of various product grades have been evaluated. Results of these tests indicate that exposure to this sodium bicarbonate product does not pose a significant risk of causing cancer or reproductive toxicity. Even though the manufacturer is confident no significant risk is present in this product, you are notified that the following listed chemicals are contained in at a detectable level. This will assist you in evaluating your products and any obligations you may have under the law. The impurities shown below contain the indicated concentrations of chemicals listed by California as a chemical known to cause cancer (A) or reproductive toxicity (B). Also disclosed below are Non Significant Risk Levels (NSRL) for Proposition 65 carcinogens in regulation (Sections 25705 and 25709), in units of micrograms per day (µg/day). These levels provide "safe harbor" for persons subject to the Act, and do not preclude the use of alternative levels that can be demonstrated by their users as being scientifically valid. NSRLs represent the daily intake level calculated to result in a cancer risk of one excess case of cancer in 100,000 individuals exposed over a lifetime. Product Prop. 65 Chemical Concentration (ppm) Sodium Arsenic (As) O.13 O.10 O.06 NSRL (µg/day) I inhalation) O.06 (inhalation) O.06 (inhalation)							
			Lead (Pb)	0.32	0.20	15 (oral)	A&B		
			Nickel refinery dust (Ni)	0.21	0.05	0.8	A		
	15.2.2	CalARP (California Accidental Release Prevention):			Not regu	Not regulated.			
	15.2.3	,				Reg. #:10897-50001-AA (Spray adjuvant - California only)			
15.3	Canac	la Regulations:				Offig/			
	15.3.1				Not Controlled. Does not meet criteria of WHMIS classification.				
	15.3.2				The substance is specified on the public Portion of the DSL.				

		SECTION 16: OTHER	INFORMATION					
16.1	HMIS III (Hazardous Materials Identification System):							
	16.1.1	HEALTH	0					
	16.1.2	FLAMMABILITY	0					
	16.1.3	PHYSICAL HAZARD	0					
	16.1.4	Personal Protection:	See Section 8					
16.2	NFPA							
	16.2.1	HEALTH	0					
	16.2.2	FLAMMABILITY	0					
	16.2.3	INSTABILITY	0					
	16.2.4	SPECIAL	None					
16.3	International Fire Code/ International Building Code.		No information.					
16.4	ANSI (American National Standards Institute):							
	16.4.1 Hazardous Industrial Chemicals - MSDSs-Preparation:		Complies with ANSI Z400.1 – 2004.					
	16.4.2	Hazardous Industrial Chemicals - Precautionary Labeling:	Complies with ANSI Z129.1 – 2006.					
16.5	GHS (Globally Harmonized System):						
	16.5.1	GHS Classification:	Acute Oral Toxicity, Category 5					
	16.5.2	GHS Symbol:	None					
	16.5.3 GHS Signal Word: Warning16.5.4 GHS Hazard Statement: May be harmful if		Warning					
			May be harmful if swallowed.					

NOTE: The information contained herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge and belief. NO WARRANTY OR GUARANTEE, express or implied, is made regarding the product performance, product stability, or as to any other condition of use, handling, transportation, and storage. Customer use, handling, transportation, and storage may involve additional safety and/or performance considerations. Our technical personnel will be happy to respond to questions regarding safe handling, storage, transportation, and use procedures remain the sole responsibility of the customer. No suggestions for handling, storage, transportation, or use are intended as or to be construed as recommendations which may infringe on any existing patents or violate any Federal, State, and/or local law and/or regulation, ordinance, standard, etc. This Material Safety Data Sheet has been prepared by Hasa, Inc. according to Hazard Communication Guidelines for Compliance (OSHA 3111) published by U.S. Department of Labor, Occupational Safety and Health Administration and Hasa, Inc. can rely on the information received from its suppliers and Hasa Inc. has no independent duty to analyze the chemical or evaluate the hazards of it.